



CristalRecord

2 0 1 9



CristalRecord
real life solutions



CristalRecord
real life solutions

2019



FANNY / 4




ALEA / 8



ALBA / 12



VERSUS / 17



NEW OR / 18



REVER / 22



RENOIR - RAVEL
BACH / 24



ANNA - ORA / 26



GLOBO / 28



HUM 30



IRIS / 32



HELI / 34



ICE / 36



SIMOX / 39



EDUBA / 40



KAJU / 41



ATTOM / 42



NASSIRA / 43



ROSSE / 44



SILVY / 46



REYS / 48



SEVER / 50



CRETA / 54



DORON / 56



MAY / 58



TEKIA / 59



ADATO / 60



SIRION / 61



NUBO / 62



ZEN / 63



WALL WASER / 64



CRISTAL / 66



LIVING / 68



RETO / 69



DUO - ONEO / 70



HELIUM / 71



DISCOVERY / 72



SEDAN / 74



GALAXY / 76



CLESS / 77



Colección / *Collection* / *Collection*

FANY



Pf 0.5 / CRI 80 / AC 220-240 / 50/60Hz

FANY 5W / 300 Lm /
Sobremesa LED / *LED Table lamp* /
Lampeá poser LED

05-936-05-101
Ø 130 x 500 mm



Pf 0.5 / CRI 80 / AC 220-240 / 50/60Hz

FANY 30W / 1800 Lm /
Colgante LED / *LED Pendant light* /
Suspension LED

99-937-30-101
Ø 600 x 1500 mm



5W



Cristal prensado extraclaro
Extra-clear pressed glass
Verre pressé extra clair

Colección / Collection / Collection

FANY




x 20.000



20.000 h



3300K



Pf 0.5 / CRI 80 / AC 220-240 / 50/60Hz

FANY 5W / 300 Lm /
Colgante LED / LED Pendant light /
Suspension LED
93-936-05-101
Ø 100 x 1500 mm



Pf 0.5 / CRI 80 / AC 220-240 / 50/60Hz

FANY 25W / 7500 Lm /
Colgante LED / LED Pendant light /
Suspension LED
99-936-25-101
880 x 70 x 1500 mm



Pf 0.5 / CRI 80 / AC 220-240 / 50/60Hz

FANY 30W / 1800 Lm /
Colgante LED / *LED Pendant light* /
Suspension LED
99-936-30-101
Ø 600 x 1500 mm



5W



Pf 0.5 / CRI 80 / AC 220-240 / 50/60Hz

FANY 25W / 1500 Lm /
Plafón LED / *LED Flush Ceiling lamp* /
Plafonnier LED
27-936-25-101
Ø 450 x 107 mm



Cristal prensado extraclaro
Extra-clear pressed glass
Verre pressé extra clair



Pf 0.5 / CRI 80 / AC 220-240 / 50/60Hz

FANY 5W / 300 Lm /
Empotrable LED / *LED Recessed light* /
Spot encastré LED
01-936-05-101
Ø 80 mm (Ø 70 mm)

Pf 0.5 / CRI 80 / AC 220-240 / 50/60Hz

FANY 5W / 300 Lm /
Aplique LED / *LED Wall light* /
Applique LED
43-936-05-101
80 x 120 x 110 mm







Colección / *Collection* / *Collection*

ALEA

Pf 0.95 / CRI 80 / AC220-240V / 50/60Hz

ALEA 30W / 2550 Lm /

Carril imantado / *Magnetic ceiling track* /

Rail magnétique

90-555-30-008

1200 x 70 x 54 mm


ALEA 55W / 4675 Lm /

Carril imantado / *Magnetic ceiling track* /

Rail magnétique

90-556-30-008

2200 x 70 x 54 mm



Imantado
Magnetic
Magnétique



x 15.000



20.000 h



3000K



Pf 0.5 / CRI 80 / DC24V / 50/60Hz

ALEA 5W / 475 Lm /


Foco redondo / *Round spotlight* / *Spot rond*

63-552-05-008

Ø 30 x 150

Colección / *Collection* / *Collection*

ALEA



Pf 0.5 / CRI 80 / DC24V / 50/60Hz

ALEA 5W / 475 Lm /

Colgante / *Pendant* / *Suspension*

63-550-05-008

Ø 30 x 150 x 1000 mm (max)



x 15.000



20.000 h




3000K

5W




Imantado
Magnetic
Magnétique




Articulado
Articulated
Articulé

Pf 0.5 / CRI 80 / DC24V / 50/60Hz

ALEA 5W / 425 Lm /
Cuadrado / *Square* / Carré
63-553-05-008
42 x 60 x 150 mm





Colección / *Collection* / *Collection*

ALBA



x 15.000




20.000 h



3000K
4000K
5800K



Mando a distancia
Remote control
Télécommande



Pf 0.5 / CRI 80 / AC180-240V / 50/60Hz


ALBA 24W / 2880 Lm /

Colgante LED / *LED Pendant light* /

Suspension LED


99-944-24-101

800 x 250 x 1200 mm



Pf 0.5 / CRI 80 / AC180-240V / 50/60Hz

ALBA 33W / 3960 Lm /
Colgante LED / *LED Pendant light* /
Suspension LED
99-932-33-101
Ø 520 x 1200 mm



Colección /
Collection /
Collection

ALBA

Pf 0.5 / CRI 80 / AC180-240V / 50/60Hz

ALBA 18W / 2160 Lm /
Colgante LED / *LED Pendant light* /
Suspension LED
99-932-18-101
Ø 450 x 1200 mm



Mando a distancia
Remote control
Télécommande



Pf 0.5 / CRI 80 / AC180-240V / 50/60Hz

ALBA 46W / 5520 Lm /
Colgante LED / LED Pendant light /
Suspension LED

99-932-46-101

Ø 600 x 1200 mm



x 15.000



20.000 h



3000K
4000K
5800K




Pf 0.5 / CRI 80 / AC180-240V / 50/60Hz

ALBA 42W / 5040 Lm /
Colgante LED / LED Pendant light /
Suspension LED

99-932-42-101

810 x 370 x 1100 mm



Colección / Collection / Collection

ALBA

20W

CHANGE
W N C



Mando a distancia
Remote control
Télécommande

IP20




x 15.000



20.000 h



3000K
4000K
5800K



Pf 0.5 / CRI 80 / AC180-240V / 50/60Hz

ALBA 20W / 2400 Lm /
Colgante LED / LED Pendant light /
Suspension LED

99-932-10-101

1020 x 65 x 1200 mm

K9
Crystal





IP20

120°

x 15.000

20.000 h

3000K
4000K
5800K

3000K
4000K
5800K

Plafón LED /
LED Flush ceiling lamp /
Plafonnier LED

VERSUS

Pf 0.5 / CRI 80 / AC180-240V / 50/60Hz

27-893-51-101
Ø 550 x 230 mm

51W

6120
Lm

CHANGE
W N C

Mando a distancia
Remote control
Télécommande



Colección / Collection / Collection

NEW OR

60W

3600
Lm

DIMMER

IP20

120°



x 15.000



30.000 h



3300K



Pf 0.6 / CRI 80 / AC220-240V / 50/60Hz


NEW OR 60W / 3600 Lm /

Colgante LED / LED Pendant light / Suspension LED

99-884-60-100 ○ Blanco / White / Blanc

99-884-60-180 ● Negro / Black / Noir

966 x 120 x 1000 (max) mm



Colección / *Collection* / *Collection*

NEW OR

Pf 0.6 / CRI 80 / AC220-240V / 50/60Hz

Plafón LED / *LED Flush Ceiling Lamp* / *Plafonnier LED*

26-884-60-100 ○ Blanco / *White* / *Blanc*


26-884-60-180 ● Negro / *Black* / *Noir*

362 x 362 x 41 mm



60W

3600
Lm



DIMMER

Pf 0.6 / CRI 80 / AC220-240V / 50/60Hz

Aplique LED / LED Wall light / Applique LED

43-881-30-100 ○ Blanco / White / Blanc

43-881-30-180 ● Negro / Black / Noir

260 x 55 x 160 mm






x 15.000



30.000 h



3300K



DIMMER



Lámpara de techo LED / *LED pendant*
ceiling lamp / Suspension LED

REVER

49W

360°



3920
Lm

IP20

⏻

x 15.000

⌚

30.000 h

◻

●

3000K


Pf 0.5 / CRI 80 / AC100-240V / 50/60Hz

99-207-49-116

1000 x 120 mm







IP20

45°

x 15.000

30.000 h

3000K




Aplique LED / LED Wall light / Applique LED

RENOIR RAVEL BACH

Pf 0.5 / CRI 80 / AC100-250V / 50/60Hz

RENOIR 43-162-08-116
400 x 80 x 55 mm




Pf 0.5 / CRI 80 / AC100-250V / 50/60Hz

RAVEL 43-160-08-116
95 x 220 x 46 mm

Pf 0.5 / CRI 80 / AC100-250V / 50/60Hz

BACH 43-164-08-116
110 x 220 x 75 mm





Colgante / Pendant light / Suspension

ANNA ORA



35W
Max



No incluida
Not included

IP20



ANNA

93-001-10-100 ○ Blanco / White / Blanc

93-001-10-053 ● Niquel satinado /
Satin nickel / Nickel satiné

Ø 80 x 1380 mm

ORA

93-002-10-100 ○ Blanco / White / Blanc

93-002-10-053 ● Niquel satinado /
Satin nickel / Nickel satiné

Ø 100 x 1402 mm




AC 220-240 / 50/60Hz

GLOBO 6 luces / *lights* / *lumière***99-585-06-001**● Cromo / *Chrome* / *Chrome*

Ø 650 x 580/850 mm

40W

Max

**G9**No incluida
Not included
Non inclusBrazo móvil
Free movable arm
Bras mobileTija telescópica
Telescopic shank
Tige Télescopique

Lámpara de techo / *Pendant ceiling lamp /*
Suspension

GLOBO

AC 220-240 / 50/60Hz

GLOBO 10 luces / *lights / lumière*

99-585-10-001

● Cromo / *Chrome / Chrome*

Ø 650 x 580/850 mm

IP20





AC220-240V / 50/60Hz

HUM 43-721-01-000

○ Blanco / *White* / *Blanc*

HUM 43-721-01-008



● Negro / *Black* / *Noir*

70 x 120 x 100 mm



Focos / *Spotlights* / *Spots*

HUM



AC220-240V / 50/60Hz

IRIS 43-721-02-000 ○ Blanco / *White* / *Blanc*

IRIS 43-721-02-008 ● Negro / *Black* / *Noir*

70 x 320 x 100 mm



AC220-240V / 50/60Hz

IRIS 43-721-03-000 ○ Blanco / White / Blanc

IRIS 43-721-03-008 ● Negro / Black / Noir

70 x 540 x 100 mm



AC220-240V / 50/60Hz


IRIS 25-721-03-000 ○ Blanco / White / Blanc

IRIS 25-721-03-008 ● Negro / Black / Noir

Ø 210 x 100 mm



No incluida
Not included
Non inclus



Direccional y basculante
Directional and swingarms
Orientable et inclinable



Fácil instalación GU10
GU10 Easy installation
Installations facile GU10



AC220-240V / 50/60Hz

IRIS 43-135-01-000 ○ Blanco / *White* / *Blanc*

IRIS 43-135-01-002 ● Niquel / *Nickel* / *Nickel*

Ø 65 mm

AC220-240V / 50/60Hz

IRIS 43-135-02-000 ○ Blanco / *White* / *Blanc*

IRIS 43-135-02-002 ● Niquel / *Nickel* / *Nickel*


60 x 320 mm

Focos / *Spotlights* / *Spots*

IRIS



No incluida
Not included
Non inclus



Direccional y basculante
Directional and swingarms
Orientable et inclinable



Fácil instalación GU10
GU10 Easy installation
Installations facile GU10





AC220-240V / 50/60Hz

IP20



IRIS 43-135-03-000 ○ Blanco / *White* / *Blanc*


IRIS 43-135-03-002 ● Niquel / *Nickel* / *Nickel*
60 x 540 mm



AC220-240V / 50/60Hz

IRIS 25-135-03-000 ○ Blanco / *White* / *Blanc*

IRIS 25-135-03-002 ● Niquel / *Nickel* / *Nickel*
Ø 250 mm





IP20



AC220-240V / 50/60Hz

HELI 43-720-01-000 ○ Blanco / *White* / *Blanc*


HELI 43-720-01-006 ● Cuero / *Brass* / *Cuir*

70 x 100 mm

50W
Max



No incluida
Not included
Non inclus



Direccional y basculante
Directional and swingarms
Orientable et inclinable



Fácil instalación GU10
GU10 Easy installation
Installations facile GU10

Focos / *Spotlights* / *Spots*

HELI



AC220-240V / 50/60Hz

HELI 43-720-02-000 ○ Blanco / *White* / *Blanc*

HELI 43-720-02-006 ● Cuero / *Brass* / *Cuir*

50 x 300 mm



AC220-240V / 50/60Hz

IRIS **43-720-03-000** ○ Blanco / *White* / *Blanc*

IRIS **43-720-03-006** ● Cuero / *Brass* / *Cuir*



50 x 440 mm

AC220-240V / 50/60Hz

HELI **25-720-03-000** ○ Blanco / *White* / *Blanc*

HELI **25-720-03-006** ● Cuero / *Brass* / *Cuir*



Ø 210 mm





Focos LED / LED Spotlights / Spots LED

ICE



Direccional y basculante
Directional and swingarms
Orientable et inclinable

Pf 0.5 / CRI 80 / AC170-240V / 50/60Hz

ICE 5W / 340 Lm /

43-611-01-000 ○ Blanco texturizado /
Sand white / Blanc texturé

43-611-01-002 ○ Niquel / *Nickel / Nickel*
Ø 70 mm



x 15.000



30.000 h



4000K



Pf 0.5 / CRI 80 / AC170-240V / 50/60Hz

ICE 10W / 680 Lm /

43-612-01-000 ○ Blanco texturizado
Sand white / Blanc texturé

43-612-01-002 ○ Niquel / *Nickel / Nickel*
260 x 75 x 130 mm



Pf 0.5 / CRI 80 / AC170-240V / 50/60Hz

ICE 15W / 1020 Lm /

43-613-01-000 ○ Blanco texturizado
Sand white / Blanc texturé

43-613-01-002 ● Niquel / *Nickel / Nickel*
410 x 75 mm




Pf 0.5 / CRI 80 / AC170-240V / 50/60Hz

ICE 15W / 1020 Lm /

25-613-01-000 ○ Blanco texturizado
Sand white / Blanc texturé

25-613-01-002 ● Niquel / *Nickel / Nickel*
Ø 200 mm





x 15.000



30.000 h



3000K



4000K

Focos LED / LED Spotlights / Spots LED

ICE

Pf 0.5 / CRI 80 / AC170-240V / 50/60Hz

ICE 9W / 412 Lm / 4000K

43-055-01-000 ○ Blanco texturizado
Sand white / Blanc texturé

43-055-01-002 ● Niquel / *Nickel / Nickel*

ICE 9W / 412 Lm / 3000K

43-055-01-300 ○ Blanco texturizado
Sand white / Blanc texturé

Ø 79 x 117 mm (Ø 65 mm)

Empotrable / *Recessed / Spot encastré*
Superficie / *Surface / Sourface*



9W



Pf 0.5 / CRI 80 / AC170-240V / 50/60Hz

ICE 4W 3000K + 12W 4000K

43-861-01-000 ○ Blanco texturizado / *Sand white / Blanc texturé*

43-861-01-002 ● Niquel / *Nickel / Nickel*

ICE 4W 3000K + 12W 3000K

43-861-01-300 ○ Blanco texturizado / *Sand white / Blanc texturé*

Ø 120 x 97 mm

4W

12W

1 2 3

3 opciones de encendido
3 lighting options
3 options d'allumage



20W

CHANGE
W N C

DIMMER

Mando a distancia
Remote control
Télécomande

Foco LED / LED Spotlight / Spot LED

SIMOX

IP20

24°

x 10.000

20.000 h

3000K
4000K
6000K

Pf 0.5 / CRI 80 / AC220-240V / 50/60Hz

20W / 1700-1900 Lm / **63-625-25-000**
Ø 80 x 150 mm

Conector recto / *Straight plug* / *Connecteur droit* **CON-SIM**
Conector esquina / *Corner plug* / *Connecteur de coin* **CON-SIM-90**
Carril trifásico / *Three-phase ceiling track* / *Rail triphasé*
90-625-25-000
2000 mm



MD-FOCO CARRIL SIMOX

Pantalla LED de superficie /
Surface mounted LED panel /
Panneaus LED de surface

Pf 0.5 / CRI 80 / AC85-265V / 50/60Hz

43-519-48-333

1200 x 300 x 40 mm

EDUBA



x 15.000



30.000 h




3000K



4000K




6000K



3 temperaturas en instalación
3 temperatures installation
3 temperature Installations





x 15.000



30.000 h



3000K

Pf 0.5 / CRI 80 / AC 85-265 / 50/60Hz

Downlight

KAJU 30W / 2600 Lm /

Downlight LED

02-556-30-320 ○ Blanco / White / Blanc

Ø 225 x 35 mm (Ø 200 mm)

KAJU



Pf 0.5 / CRI 80 / AC 85-265 / 50/60Hz

KAJU 8W / 680 Lm /

Plafón LED / LED Flush Ceiling Lamp / Plafonnier LED

02-506-08-320 ○ Blanco / White / Blanc

02-506-08-381 ● Gris / Grey / Gris

Ø 90 x 25 mm



300
Lm

4500
Lm

IP20

150°

x 15.000

30.000 h

3000K
4000K
6000K

3000K
4000K
6000K

3000K
4000K
6000K

3000K
4000K
6000K



Plafón LED / LED Flush ceiling lamp /
Plafonnier LED

ATTOM



MD-27-180-60-381

Pf 0.6 / CRI 80 / AC170-265V / 50/60Hz

27-180-60-381 /
Ø 450 x 90 mm



60W

CHANGE
W N C

DIMMER

Memoria de encendido
Power-on memory
Memoire d'allumage

Mando a distancia
Remote control
Télécommande



Plafón LED / LED Flush ceiling lamp /
Plafonnier LED

NASSIRA



300
Lm

4500
Lm

IP20

150°

Power icon

x 15.000

30.000 h

Grounding symbol

Color temperature icon

3000K
4000K
6000K



Pf 0.6 / CRI 80 / AC170-265V / 50/60Hz

27-010-60-003 /
Ø 550 x 80 mm

MD-27-010-60-003



60W

CHANGE
W N C

DIMMER

Power icon

Memoria de encendido
Power-on memory
Memoire d'allumage

Remote control icon

Mando a distancia
Remote control
Télécommande



Star icon

Efecto estrella
Star effect
Effect étoile



Plafón LED / *LED Flush ceiling lamp* / *Plafonnier LED*

ROSSE



DIMMER



Memoria de encendido
Power-on memory
Memoire d' allumage




Mando a distancia
Remote control
Télécomande



Pf 0.6 / CRI 80 / AC170-265V / 50/60Hz

27-001-60-100 / 500 x 450 x 80 mm



500 x 450 mm



300
Lm

4500
Lm

IP20

150°

x 15.000

30.000 h

3000K
4000K
6000K

IP20

120°



x 15.000



25.000 h



2700K
4200K
6500K




Plafón LED / *LED Flush ceiling lamp* /
Plafonnier LED

SILVY



72W



Ø 400 / 470 mm


Pf 0.9 / CRI 80 / AC220-240V / 50/60Hz

SILVY 72W / 4500 Lm / **27-992-72-100** / Ø 470 mm

SILVY 40W / 2950 Lm / **26-992-40-100** / Ø 400 mm



40W



DIMMER



Memoria de encendido
Power-on memory
Memoire d' allumage



Efecto estrella
Star effect
Effect étoile



Mando a distancia
Remote control
Télécommande



x 10.000



20.000 h



3000K
4000K
6000K

36W

48W



DIMMER

Memoria de encendido
Power-on memory
Memoire d' allumage



Plafón LED /
LED Flush ceiling lamp /
Plafonnier LED

REYS



Pf 0.6 / CRI 80 / AC175-265V / 50/60Hz

REYS 36W / 2340-4680 Lm
Mate / Matt / Matte **26-863-36-500**
Estrellas / Stars / Étoile **26-863-36-100**
480 x 440 x 70 mm

REYS 48W / 3120-6240 Lm
Mate / Matt / Matte **27-863-48-500**
Estrellas / Stars / Étoile **27-863-48-100**
530 x 340 x 100 mm



Efecto estrella
Star effect
Effect étoile



Mando a distancia
Remote control
Télécomande

Plafón LED / *LED Flush ceiling lamp* /
Plafonnier LED

SEVER



Pf 0.6 / CRI 80 / AC175-265V / 50/60Hz

Mate / *Matt* / *Matte*

SEVER 100W / 6630 Lm / **29-302-10-500** / Ø 800 x 105 mm

SEVER 100W / 6630 Lm / **28-102-10-500** / Ø 600 x 105 mm

SEVER 72W / 3950 Lm / **27-102-72-500** / Ø 470 x 105 mm

SEVER 42W / 2950 Lm / **26-102-42-500** / Ø 400 x 105 mm



100W

72W

42W



Memoria de encendido
Power-on memory
Memoire d' allumage



Mando a distancia
Remote control
Télécommande





x 10.000



20.000 h



2700K
4200K
6500K



Efecto estrella
Star effect
Effect étoile



Pf 0.6 / CRI 80 / AC175-265V / 50/60Hz


Estrellas / Stars / Étoile

SEVER 100W / 6630 Lm / **29-302-10-100** / Ø 800 x 105 mm


SEVER 100W / 6630 Lm / **28-102-10-100** / Ø 600 x 105 mm

SEVER 72W / 3950 Lm / **27-102-72-100** / Ø 470 x 105 mm


SEVER 42W / 2950 Lm / **26-102-42-100** / Ø 400 x 105 mm




Ø 800 mm



Ø 600 mm



Ø 470 mm



Ø 400 mm

105 mm



42W

72W



Memoria de encendido
Power-on memory
Memoire d'allumage



Efecto estrella
Star effect
Effect étoile



Mando a distancia
Remote control
Télécommande

Plafón LED / *LED Flush ceiling lamp* /
Plafonnier LED

SEVER



x 10.000



20.000 h



2700K
4200K
6500K



Pf 0.6 / CRI 80 / AC175-265V / 50/60Hz

SEVER 42W / 2700 Lm

Mate / Matt / Matte **26-602-42-500**

Estrellas / Stars / Étoile **26-602-42-100**

365 x 365 x 60 mm

SEVER 72W / 4600 Lm

Mate / Matt / Matte **27-602-72-500**

Estrellas / Stars / Étoile **27-602-72-100**

470 x 470 x 60 mm




Plafón LED / *LED Flush ceiling lamp* /
Plafonnier LED

CRETA



Mando a distancia
Remote control
Télécommande



DIMMER



Pf 0.6 / CRI 80 / AC170-265V / 50/60Hz

26-712-30-100 /
450 x 450 x 120mm



1440
Lm

IP20

120°



x 15.000



30.000 h



3000K
4500K
6500K



Plafón LED / *LED Flush ceiling lamp* /
Plafonnier LED

DORON



x 20.000



30.000 h



3000K

50W

40W

30W

20W

Pf 0.6 / CRI 80 / AC220-240V / 50/60Hz

DORON 20W / 1000 Lm / **24-835-20-000** / Ø 223 mm

DORON 30W / 1500 Lm / **25-835-30-000** / Ø 327 mm

DORON 40W / 2000 Lm / **26-835-40-000** / Ø 400 mm

DORON 50W / 2500 Lm / **27-835-50-000** / Ø 500 mm

20W

22W

30W

44W

1 2 3

3 opciones de iluminación
3 lighting options
3 options d' allumage



1 Luz ambiente / *Ambient light* /
Lumière d'ambiance



2 Luz directa / *Direct light* /
Lumière d'ambiance



3 Luz combinada / *Combined light* /
Lumière direct



Pf 0.6 / CRI 80 / AC220-240V / 50/60Hz

DORON 20+22W / 2100 Lm /
25-835-44-000 / Ø 330 mm

DORON 30+44W / 3700 Lm /
27-835-74-000 / Ø 500 mm



Plafón LED / *LED Flush ceiling lamp* /
Plafonnier LED

MAY





x 20.000



30.000 h



3000K



Pf 0.5 / CRI 80 / AC 220-240 / 50/60Hz

02-101-60-013

Ø 600 mm

Downlight LED
Adaptable / *Adaptive* / *Adaptatif*

TEKIA

IP20

120°

x 15.000

30.000 h

3000K

4000K

6500K



18W

1620
Lm

CHANGE
W N C

3 temperaturas en instalación
3 temperatures installation
3 temperature de Installations



Sensor de movimiento
Sensor motion
Touche de mouvement




Fácil instalación
Easy installation
Installations facile

Pf 0.5 / CRI 80 / AC 220-240 / 50/60Hz


Downlight LED **02-943-18-333**
Ø 220 x 18 mm

Aro negro / *Black frame* / *Cadre noir*
02-943-18-ARO-NEGRO


Aro Plata / *Silver frame* / *Cadre argenté*
02-943-18-ARO-PLATA



Empotrado
Recessed
Encastré



Montaje de superficie
Surface mounting
Montage en surface



65 mm - 205 mm

Downlight LED

ADATO



x 15.000



20.000 h






3000K



4000K



6000K



Adaptable al taladro
Adaptable to cut-out
Encastrement adaptable



Pf 0.5 / CRI 80 / AC 220-240 / 50/60Hz

ADATO 3000K / **02-445-20-300**

ADATO 4000K / **02-445-20-400**


ADATO 6000K / **02-445-20-600**

Ø 230 x 10 mm (Ø) Ø 50 - 205 mm



25W

1875
Lm



Fácil conexión
Easy connection
Connexion facile



Driver extraíble
Removable driver
Driver détachable

IP20

120°

x 15.000

20.000 h

3000K

4000K

6000K

Downlight LED

SIRION

Pf 0.5 / CRI 80 / AC 85-265 / 50/60Hz

SIRION 3000K / **02-633-25-300**

SIRION 4000K / **02-633-25-400**

SIRION 6000K / **02-633-25-600**

Ø 225 x 35 mm (Ø 205 mm)



18W

1440
Lm

Pf 0.5 / CRI 80 / AC 85-265 / 50/60Hz

NUBO Downlight / **02-696-18-600**

Ø 225 x 35 mm (Ø 205 mm)



Downlight LED

NUBO



NUBO Adaptador / *Adapter* / *Adaptateur*
ADAP-SPF-696

Ø 230 mm



IP20

120°



x 15.000

30.000 h



6000K

30W

2400
Lm

IP20



x 20.000



30.000 h



3000K



4000K

Downlight LED

ZEN



Pf 0.5 / CRI 80 / AC 220-240 / 50/60Hz

ZEN 3000K / **02-368-32-300**

ZEN 4000K / **02-368-32-400**

Ø 225 x 30 mm (B) Ø 200 mm





Empotrable LED / *LED recessed light /*
Spot encastré LED

WALL WASHER



10W

Pf 0.9 / CRI 80 / AC220-240V / 50/60Hz

WALL WASHER 10W / 700 Lm

03-456-10-400

146 x 45 x 55 mm  135 x 35 mm




20W

Pf 0.9 / CRI 80 / AC220-240V / 50/60Hz

WALL WASHER 20W / 1400 Lm

03-456-20-400

280 x 45 x 55 mm  270 x 35 mm



IP20



x 20.000



50.000 h



4000K

Empotrable LED / LED Recessed light / Spot encastré LED

CRISTAL

Pf 0.5 / CRI 80 / AC170-240V / 50/60Hz

GLESS

Redondo / Round / Ronde

01-733-01-381 4000K

Ø 100 mm (L) Ø 75 mm



35W

Max




GU10

No incluida
Not included
Non inclus

3W

LED




DRIVER

Incluido / Included / Inclus

1 2 3

3 opciones de encendido
3 lighting options
3 options d'allumage



GEMO

Cuadrado / Square / Carré

00-871-01-381 4000K

90 x 90 mm (L) Ø 75 mm

GEMO

Ocógono / Octagon / Octogone

01-871-01-381 4000K

Ø 90 mm (L) Ø 75 mm



300
Lm

IP20



x 5.000



10.000 h



3000K



4000K

LABER
Cuadrado / *Square* / *Carré*
00-301-01-381 4000K
Ø 100 mm (Ø 75 mm)




ILUX
Redondo / *Round* / *Ronde*
01-633-01-381 4000K
Ø 100 mm (Ø 75 mm)




KONY
Redondo / *Round* / *Ronde*
01-930-01-001 4000K
01-930-01-301 3000K
Ø 90 mm (Ø 75 mm)



KONY
Cuadrado / *Square* / *Carré*
00-930-01-001 4000K
00-930-01-301 3000K
90 x 90 mm (Ø 75 mm)





LIVING Cuadrado / *Square / Carré*

00-176-01-000 ○ Blanco texturizado /
Sand white / Blanc texturé

00-176-01-281 ● Plata texturizado /
Sand silver / Sable d'argent

81 x 81 x 41 mm  75 x 75 mm

Empotrable / *Recessed light /*
Spot encastré

LIVING


35W
Max



GU10

No incluida
Not included
Non inclus

IP20



LIVING Redondo / *Round /*

01-076-01-000 ○ Blanco texturizado /
Sand white / Blanc texturé

01-076-01-281 ● Plata texturizado /
Sand silver / Sable d'argent

01-076-01-008 ● Negro texturizado /
and black / Sable noir

Ø 81 x 41 mm  Ø 75 mm



Empotrable / Recessed light /
Spot encastré

RETO




No incluida
Not included
Non inclus



RETO 01-047-01-000 ○ Blanco / White / Blanc

RETO 01-047-01-008 ● Negro / Black / Noir

Ø 85 x 42 mm ⓘ Ø 60 mm



ARO-047-000 ○ Blanco / White / Blanc

ARO-047-008 ● Negro / Black / Noir

ARO-047-001 ● Cromo / Chrome / Chrome

ARO-047-002 ● Niquel / Nickel / Nickel

Ø 95 mm



DUO 01-853-00-100
Ø 110 x 55 mm  Ø 90 mm

Empotrable / *Recessed light* / *Spot encastré*

DUO ONEO



ONEO 01-953-00-100
Ø 100 x 45 mm  Ø 90 mm

35W
Max


GU10

No incluida
Not included
Non inclus

IP20



Empotrable / *Recessed light* /
Spot encastré

HELIUM



HELIUM Redondo / *Round* / *Ronde*
01-010-80-180
Ø 90 mm (Ø 80 mm)

HELIUM Cuadrado / *Square* / *Carré*
03-061-80-180
93 x 93 mm (Ø 80 mm)




50W
Max



GU10

No incluida
Not included
Non inclus



Basculante
Movable
Inclinable



10W

500
Lm

IP20



DIMMER



TACTIL



x 15.000



30.000 h



3300K
4500K
6500K



Flexo LED / LED Desk lamp /
Lampe de bureau LED

DISCOVERY




Sensor de movimiento
Motion sensor switch
Touche de mouvement




3D / 360°



DC 12V



100 ~240V



Mordaza /
Clam /
Bâillon

Pf 0.6 / CRI 80 / AC100-240V / DC12V / 50/60Hz

04-019-10-100 ○ Blanco / White / Blan
550 x 300 mm

Base / Base / Base

**Flexo LED / LED Desk lamp /
Lampe de bureau LED**

SEDAN

IP20



TACTIL



x 20.000



30.000 h




3000K
4000K
6000K



10W

550
Lm





DIMMER



Brazo Flexible
Flexible Arm
Bras flexible



Sensor táctil
Touch sensor
Touche tactile



Temperatura de color regulable
Adjustable color temperature
Temperature de couleur adaptable

Pf 0.6 / CRI 80 / AC100-240V / DC12V / 50/60Hz

04-602-10-100 ○ Blanco / White / Blanc

04-602-10-281 ● Plata / Silver / D'argent

450 x 180 mm



IP20



TACTIL



x 15.000



30.000 h



2500K
4500K
7000K

Flexo LED / LED Desk lamp / Lampe de bureau LED

GALAXY



8W

530
Lm

5

5 Intensidades
5 Intensities
5 intensités



USB

1 2 3 4

4 opciones de iluminación
4 lighting options
4 options d'allumage

Pf 0.6 / CRI 80 / AC220-240V / DC12V / 50/60Hz

04+530-14-180 ● Negro / Black / Noir
350 x 350 mm (450 mm alto)

Proyector / Floodlight / Projecteurs

CLESS

30W

6000
Lm

IP54



x 25.000



15.000 h





6400K

Pf 0.6 / CRI 80 / AC175-240V / 50/60Hz

77-403-30-180



Doble enchufe
Double plug
Double prise



	<i>Model</i>	<i>Page</i>		<i>Model</i>	<i>Page</i>
00-176-01-000	LIVING	68	04+530-14-180	GALAXY	76
00-176-01-281	LIVING	68	04-019-10-100	DISCOVERY	73
00-301-01-381	LABER	67	04-602-10-100	SEDAN	74
00-871-01-381	GEMO	66	04-602-10-281	SEDAN	74
00-930-01-001	KONY	67	05-936-05-101	FANY	5
00-930-01-301	KONY	67	24-835-20-000	DORON	56
01-010-80-180	HELIUM	71	25-135-03-000	IRIS	33
01-047-01-000	RETO	69	25-135-03-002	IRIS	33
01-047-01-008	RETO	69	25-613-01-000	ICE	37
01-076-01-000	LIVING	68	25-613-01-001	ICE	37
01-076-01-008	LIVING	68	25-720-03-000	HELI	35
01-076-01-281	LIVING	68	25-720-03-006	HELI	35
01-633-01-381	ILUX	67	25-721-03-000	HUM	31
01-733-01-381	GLESS	66	25-721-03-008	HUM	31
01-853-00-100	DUO	70	25-835-30-000	DORON	56
01-871-01-381	GEMO	66	25-835-44-000	DORON	57
01-930-01-001	KONY	67	26-102-42-100	SEVER	51
01-930-01-301	KONY	67	26-102-42-500	SEVER	50
01-936-05-101	FANY	7	26-602-42-100	SEVER	53
01-953-00-100	ONEO	70	26-602-42-500	SEVER	53
02-101-60-013	MAY	58	26-712-30-100	CRETA	54
02-368-32-300	ZEN	63	26-835-40-000	DORON	56
02-368-32-400	ZEN	63	26-863-36-100	REYS	49
02-445-20-300	ADATO	60	26-863-36-500	REYS	49
02-445-20-400	ADATO	60	26-884-60-100	NEW OR	20
02-445-20-600	ADATO	60	26-884-60-180	NEW OR	20
02-506-08-320	KAJU	41	26-992-40-100	SILVY	47
02-506-08-381	KAJU	41	27-001-60-100	ROSSE	44
02-556-30-320	KAJU	41	27-010-60-003	NASSIRA	43
02-633-25-300	SIRION	61	27-102-72-100	SEVER	51
02-633-25-400	SIRION	61	27-102-72-500	SEVER	50
02-633-25-600	SIRION	61	27-180-60-381	ATTOM	42
02-696-18-600	NUBO	62	27-602-72-100	SEVER	53
02-943-18-333	TEKIA	59	27-602-72-500	SEVER	53
02-943-18-ARO-NEGRO	TEKIA	59	27-835-50-000	DORON	56
02-943-18-ARO-PLATA	TEKIA	59	27-835-74-000	DORON	57
03-061-80-180	HELIUM	71	27-863-48-100	REYS	49
03-456-10-400	WALL WASHER	65	27-863-48-500	REYS	49
03-456-20-400	WALL WASHER	65	27-893-51-101	VERSUS	17
			27-936-25-101	FANY	7

	<i>Model</i>	<i>Page</i>		<i>Model</i>	<i>Page</i>
27-992-72-100	SILVY	47	43-881-30-180	NEW OR	21
28-102-10-100	SEVER	51	43-936-05-101	FANY	7
28-102-10-500	SEVER	50	63-550-05-008	ALEA	10
29-302-10-100	SEVER	51	63-552-05-008	ALEA	10
29-302-10-500	SEVER	50	63-553-05-008	ALEA	11
43-055-01-000	ICE	38	63-625-25-000	SIMOX	39
43-055-01-002	ICE	38	77-403-30-180	CLESS	77
43-055-01-300	ICE	38	90-555-30-008	ALEA	9
43-135-01-000	IRIS	32	90-556-30-008	ALEA	9
43-135-01-002	IRIS	32	90-625-25-000	SIMOX	39
43-135-02-000	IRIS	32	93-001-10-053	ANNA	27
43-135-02-002	IRIS	32	93-001-10-100	ANNA	27
43-135-03-000	IRIS	33	93-002-10-053	ORA	27
43-135-03-002	IRIS	33	93-002-10-100	ORA	27
43-160-08-116	RAVEL	25	93-936-05-101	FANY	6
43-162-08-116	RENOIR	25	99-207-49-116	REVER	22
43-164-08-116	BACH	25	99-585-06-001	GLOBO	28
43-519-48-333	EDUBA	40	99-585-10-001	GLOBO	29
43-611-01-000	ICE	36	99-884-60-100	NEW OR	19
43-611-01-002	ICE	36	99-884-60-180	NEW OR	19
43-612-01-000	ICE	36	99-932-10-101	ALBA	15
43-612-01-001	ICE	36	99-932-18-101	ALBA	14
43-613-01-000	ICE	37	99-932-33-101	ALBA	14
43-613-01-002	ICE	37	99-932-42-101	ALBA	15
43-720-01-000	HELI	34	99-932-46-101	ALBA	15
43-720-01-006	HELI	34	99-936-25-101	FANY	6
43-720-02-000	HELI	34	99-936-30-101	FANY	7
43-720-02-006	HELI	34	99-937-30-101	FANY	5
43-720-03-000	HELI	35	99-944-24-101	ALBA	13
43-720-03-006	HELI	35	ADAP-SPF-696	NUBO	62
43-721-01-000	HUM	30	ARO-047-000	RETO	69
43-721-01-008	HUM	30	ARO-047-001	RETO	69
43-721-02-000	HUM	30	ARO-047-002	RETO	69
43-721-02-008	HUM	30	ARO-047-008	RETO	69
43-721-03-000	HUM	31	CON-SIM	SIMOX	39
43-721-03-008	HUM	31	CON-SIM-90°	SIMOX	39
43-861-01-000	ICE	38	MD-27-010-60-003	NASSIRA	43
43-861-01-002	ICE	38	MD-27-180-60-381	ATTOM	42
43-861-01-300	ICE	38	MD-FOCO CARRIL SIMOX	SIMOX	39
43-881-30-100	NEW OR	21			




Pol. Ruiseñores I
Ctra. de Logroño, km 8,5.
50011 Zaragoza - Spain
T +34 976 459 277
F +34 976 459 278

www.cristalrecord.com
orders@cristalrecord.com
pedidos@cristalrecord.com



CristalRecord
real life solutions



Pol. Ruiseñores I
Ctra. de Logroño, km 8,5.
50011 Zaragoza - Spain
+34 976 459 277

www.cristalrecord.com
orders@cristalrecord.com
pedidos@cristalrecord.com



CristalRecord
real life solutions