

Decorativo


Decorative / Décoratif

2022




ÍNDICE


INDEX




MEI p. 6



NESS p. 8



NIZA p. 10



OTIE p. 12



ARA p. 14



SAREN p. 16



RUS p. 16



RYAD p. 16




PENN p. 19



ENYO p. 19



VEGA p. 20



AQUILA p. 22




DRACO p. 24



CLOUD p. 26



LOU p. 27



NOX p. 27



MAY p. 28



MELISSA p. 29



OTTO p. 30



SILVY p. 32



ROSSE p. 34



IBONE p. 35



LIFO p. 35



AIKO p. 35



SEVER p. 36



REYS p. 40



ATTOM p. 43



MILEA p. 43




DORON p. 44



NEW OR p. 82



SILEN p. 46



SIENA p. 47



ASTER p. 48



JARA p. 50



LILI p. 52



LEA p. 54



MAD p. 56



MAD p. 59



TER p. 62



DINA p. 64



REVER p. 65



WINERY p. 66



LIZER p. 68



LYN p. 72



MIRTA p. 74



ORSO p. 77



LINO p. 77



SITO p. 77



YON

p. 77



ELEGANCE

p. 78



DUNIA

p. 79



NEW OR

p. 80



ANNA

p. 84



ORA

p. 85



SAND

p. 86



GALA

p. 90



TEO

p. 92



ATEN

p. 94



SIRO

p. 96



VARIA

p. 98



GARONA

p. 99



NOOVA

p. 100



LISA

p. 103



LUXO

p. 104



ROB

p. 106



ROB II

p. 108



RENOIR

p. 110



RAVEL

p. 111



BACH

p. 112



GERIA

p. 114



POLARE

p. 116



NEW OR

p. 83



MEL p. 117



DERA p. 118



LAN p. 120



ICE p. 122



HELI p. 124



IRIS p. 125



NABILA p. 126



LABER p. 128



GLESS p. 128



ILUX p. 128



GEMO p. 128



KONY p. 129



OREON p. 130



TINVI p. 132



PALA p. 133



RAI p. 134



MIRI p. 134



BIL p. 135



LUL p. 136



DUCK p. 138



STAR p. 140



DISCOVERY p. 142



GALAXY p. 142



SEDAN p. 142



LUXO p. 104



ELNA p. 143

PICTOS

PICTS



Efecto 3D/
3D effect



Madera Natural/
Natural wood



Luz combinada/
Combined light



Efecto estrella/
Star effect



Regulable/
Dimmable



Luz de noche/
Night light



Tipo de bombilla/
Bulb type



Alarma/
Alarm



Pantalla LCD/
LCD screen



Memoria/
Memory



Altavoz/
Loudspeaker



Cargador inalámbrico/
Wireless charger



Pack compacto/
3D effect



Táctil/
3D effect



Orientable/
Adjustable



Tarjeta micro SD/
Micro SD card



Bateria/
Batt



USB



LED



Bluetooth



RGB LED




3CCT LED



APP Smart



FSC




6




MEI


MEI  135W 12000 lm




27-242-15-100




MEI  125W 10900 lm




27-241-14-100



MEI  115W 10900 lm



27-244-13-100




3000-4000-6000K

Material:
Metal + PC.


IP20.
170-220V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.9.
∧ 120°.
⊙ 20.000H.
⊖ 10.000.



NESS



NESS  60W 3900 lm



450x450 mm


27-100-60-100



3000-4000-6000K

Material:
Metal + PC.


IP20.
175-265V.
50/60Hz.
CRI ≥ 80
∧ 120°
⊙ 25.000H
⊖ 10.000




10




NIZA



NIZA  70W 4550 lm



 60 mm



420x460 mm

27-821-70-100




3000-4000-6000K

Material:
Metal + PC.


IP20.
175-265V.
50/60Hz.
CRI ≥ 80
^ 120°
⊙ 25.000H
⊖ 10.000



OTILE




OTIE 2  135W 11900 lm



27-259-15-100

OTIE  90W 8000 lm



27-258-11-100



3000-4000-6000K




Material:
Metal + PC.


IP20.
170-220V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.9.
∧ 120°.
⊙ 20.000H.
⊜ 10.000.



ARA



ARA  90W 8000 lm




 | 60 mm



500x500 mm

27-238-94-100

ARA  70W 7000 lm



 | 55 mm



500x500 mm

27-237-95-100



3000-4000-6000K

Material:
Metal + PC.

IP20.
170-220V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.9.
∧ 120°.
⊙ 20.000H.
⊜ 10.000.

SAREN  110W 9300 lm



| 80 mm



Ø480 mm

27-097-10-100

RUS  85W 7300 lm



| 85 mm



Ø480 mm

27-095-97-100

RYAD  85W 7300 lm



| 80 mm



Ø480 mm

27-094-97-100




3000-4000-6000K



Material:
Metal + PC.


IP20.
170-220V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.9.
∧ 120°.
⊙ 20.000H.
⊖ 10.000.






18






PENN  90W 7300 lm



ENYO  80W 7200 lm



Material:
Metal + PC.

IP20.
170-220V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.9.
∧ 120°.
⊙ 20.000H.
⊜ 10.000.




VEGA

VEGA  160W 8000 lm




29-250-10-250



VEGA  72W 3600 lm





27-150-50-110



VEGA  60W 3000 lm



27-151-50-094



3000-4000-6000K



Material:
Metal + PC.



IP20.
175-265V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 120°.
⊙ 25.000H.
⊖ 10.000.



AQUILA



AQUILA 222W 11100 lm



1100X720 mm

29-006-12-334



3000-4000-6000K


Material:
Metal + PC.

IP20.
175-265V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.55.
∧ 120°.
⊙ 25.000H.
⊖ 10.000.



DRAGO

DRACO  226W 11300 lm



DRACO  100W 5000 lm



DRACO  92W 4600 lm



3000-4000-5500K


Material:
Metal + PC.

IP20.
175-265V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 120°.
⊙ 25.000H.
⊖ 10.000.




CLOUD

CLOUD  100W 8800Lm



27-195-12-100.




Material:
Metal + PC.


IP20.
170-220V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.9.
∧ 120°.
⊙ 20.000H.
⊖ 10.000.



LOU  105W 9200 lm



NOX  90W 7800 lm



Material:
Metal + PC.

IP20.
170-220V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.9.
∧ 120°.
⊙ 20.000H.
⊜ 10.000.



MAY

MAY  60W 5800 lm 



02-101-60-013

 50 mm

 Ø600 mm

Material:
Metal + PC.

IP20.
220-240V.
50Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 160°.
© 30.000H.
⊙ 20.000.




MELISSA  60W 4800 lm



28-826-60-100



 155 mm



Ø450 mm

 40W 3600 lm




27-826-40-100



 150 mm



Ø350 mm



Material:
Metal + PC.

IP20.
175-265V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 120°.
⊙ 20.000H.
⊖ 10.000.



OTTO



OTTO  60W 4500 lm



 | 85 mm



Ø535 mm

27-303-60-003



3000-4000-6500K




Material:
Metal + PC.

IP20.
170-265V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 120°.
⊙ 30.000H.
⊜ 10.000.




SIXTY



SILVY  72W 4500 lm



 | 88 mm




Ø470 mm

27-992-72-100

 40W 3300 lm



 | 75 mm



Ø400mm

26-992-40-100



2700-4200-6500K

Material:
PMMA.

IP20.
170-265V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 110°.
⊙ 30.000H.
⊜ 10.000.



ROSSE

ROSSE  60W 4000 lm



3000-4000-6000K

Material:
Metal y PC.

 30 mm




500x450 mm

IP20.
170-265V.
50Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 120°.
© 30.000H.
© 20.000.

27-001-60-100

IBONE  56W 4480 lm 




29-224-56-180

Material:
Metal + PC.

IP20.
220V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 120°.
⊙ 30.000H.
⊖ 20.000.

LIFO  40W 3200 lm



27-234-40-100




2700-4000-6500K

Material:
PC.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.9.
∧ 180°.
⊙ 30.000H.
⊖ 15.000.

35

AIKO  100W 7680 lm



27-630-10-003



3000-4000-6000K

Material:
Metal + PC.

IP20.
170-265V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 120°.
⊙ 20.000H.
⊖ 15.000.



SEVER




SEVER  100W 6630 lm



29-302-10-500



29-302-10-100



2700-4200-6500K

Material:
Aluminio / Aluminium.

IP20.
180-264V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
^ 120°.
⊙ 30.000H.
⊖ 15.000.

SEVER 100W 6630 lm



28-102-10-500

28-102-10-100

SEVER 72W 4750 lm



27-102-72-500


27-102-72-100

SEVER 42W 2950 lm



26-102-42-500

26-102-42-100



Material:
Aluminio / Aluminium.

IP20.
180-264V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
^ 120°.
⊙ 30.000H.
⊖ 15.000.



SEVER  72W 4073 lm



27-602-72-500



27-602-72-100



 60 mm



470x470 mm

SEVER  42W 2350 lm



26-602-42-500



26-602-42-100



 60 mm



365x365 mm



2700-4200-6500K

Material:
Aluminio / Aluminium.

IP20.
180-264V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 120°.
⊙ 30.000H.
⊘ 15.000.



REYS


REYS  48W 3360 lm



27-863-48-500



27-863-48-100



580x550 mm


REYS  36W 2520 lm



26-863-36-500



26-863-36-100



480x450 mm



3000-4000-6000K

Material:
Metal + PC.

IP20.
175-265V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 120°.
⊙ 15.000H.
⊜ 10.000.





ATTOM  60W 4750 lm



27-180-60-381

MILEA  60W 4500 lm



27-526-60-001



3000-4000-6000K

Material:
Metal y PC.

IP20.
170-265 V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.6.
∧ 120°.
⊙ 30.000H.
⊖ 10.000.




DORON

DORON  44W+30W 3700 lm **3000K** 22W+20W 2100 lm **3000K**



27-835-74-000

 48 mm




Ø500 mm



25-835-44-000


 46 mm



Ø327 mm

Material:
Aluminio / Aluminium



IP20.
85-265V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.6.
∧ 120°.
© 30.000H.
⊕ 20.000.



DORON  50W 2500 lm





27-835-50-000



DORON  30W 1500 lm




25-835-30-000



DORON  20W 1000 lm



24-835-20-000



Material:
Aluminio / *Aluminium*.

IP20.
85-265V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.6.
∧ 120°.
⊙ 30.000H.
⊖ 20.000.



SILEN


SILEN  40W 2800 lm



28-115-40-100



28-115-40-181



2800-4000-5500K

Material:
Metal + PC.

IP20.
220-240V.
50Hz.
CRI ≥ 80.
P.F.: 0.9.
∧ 120°.
⊙ 25.000H.
⊙ 20.000.



SIENA  30W 1300 lm



 **RGB LED**
2.5W 120Lm




Material:
Metal + PC.


IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.9.
∧ 120°.
⊙ 25.000H.
⊖ 20.000.



27-110-30-308



27-110-30-300






ASTER



ASTER  30W 2400 lm 



27-211-30-300



27-211-30-381



27-211-30-308



100% 2400 lm
42% 1000 lm
12,5% 300 lm

Material:
Metal + PC.

IP20.
220-240V.
50Hz.
CRI ≥ 80.
P.F.: 0.9.
∧ 120°.
⊙ 20.000H.
⊖ 25.000.



JARA



JARA  48W 2650 lm **3000K**




27-200-48-100



27-200-48-281



27-200-48-180



JARA  36W 2120 lm **3000K**




27-200-36-100



27-200-36-281



27-200-36-180



Material:
Metal + PC.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.98.
∧ 120°.
© 50.000H.
⊘ 25.000.





LILI


LED 60W 2650 lm 3000K



27-201-60-100



27-201-60-180



Material:
Metal + PC.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.98.
∧ 120°.
⊙ 50.000H.
⊜ 25.000.



LEA




LEA  72W 3610 lm **3000K**



27-202-72-100



27-202-72-180




LEA  60W 3020 lm **3000K**



27-202-60-100



27-202-60-180



Material:
Metal + PC.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.98.
∧ 120°.
⊙ 50.000H.
⊜ 25.000.




MAD



MAD  56W 4030 lm 



29-035-60-316




MAD  52W 3680 lm 

57



29-035-55-316



Material:
Madera natural / Natural wood.


IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.9.
∧ 120°.
⊙ 30.000H.
⊖ 15.000.




MAD **LED** 42W 3200 lm **3000K** 28W 2007 lm **3000K**



28-035-50-316



27-035-30-316



Material:
Madera natural / Natural wood.


IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.9.
∧ 120°.
⊙ 30.000H.
⊙ 15.000.




MAD  56W 4030 lm  52W 3680 lm 



99-035-60-316



99-035-55-316



Material:
Madera natural / Natural wood.


IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.9.
∧ 120°.
⊙ 30.000H.
⊖ 15.000.



MAD **LED** 42W 3200 lm **3000K** 28W 2007 lm **3000K**




99-035-50-316



Ø670 mm



99-035-30-316



Ø470 mm

Material:
Madera natural.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.9.
∧ 120°.
⊙ 30.000H.
⊙ 15.000.






TER




TER **LED** 15W 1120 lm **3000K**





93-078-15-316

TER **LED** 7W 525 lm **3000K**



93-078-08-316

TER **LED** 5W 348 lm **3000K**



93-078-05-316



63



Packaging
COMPACTO

Material:
Madera natural / Natural wood.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.9.
∧ 120°.
⊙ 30.000H.
⊙ 15.000.



DINA

DINA  50W 4000 lm 



99-074-50-380



2000 mm


Ø640 mm




Material:
Madera natural.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 120°.
⊙ 30.000H.
⊖ 20.000.



REVER  49W 3920 lm 



max.2000 mm

1000x150 mm

99-207-49-116



Material:
Madera natural / Natural wood.

IP20.
220-240V.
50Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 120°.
© 30.000H.
⊙ 20.000.




WINERY

WINERY



93-841-15-116



Material:
Cuerda / Rope.


IP20.
220-240V.
50Hz.
1x E27.



WINERY



93-841-02-116



Material:
Cuerda / Rope.


IP20.
220-240V.
50Hz.
2x E27.



WINERY



93-841-06-116



Material:
Cuerda / Rope.


IP20.
220-240V.
50Hz.
6x E27.



WINERY



99-840-06-116



Material:
Cuerda / Rope.

IP20.
220-240V.
50Hz.
6x E27.



LIZER



LIZER  72W 4776 lm 




99-510-72-100



99-510-72-115



99-510-72-281



Material:
Aluminio / Aluminium.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.98.
∧ 120°.
⊙ 50.000H.
⊙ 25.000.



LIZER **LED** 48W 2884 lm **3000K**

36W 2192 lm **3000K**




99-510-48-100



99-510-48-281



99-510-48-115




99-510-36-100



99-510-36-281



99-510-36-115



Material:
Aluminio / Aluminium.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.98.
∧ 120°.
⊙ 50.000H.
⊖ 25.000.



LIZER LED 21W 1234 lm 3000K




99-510-21-100



99-510-21-281



99-510-21-115



Material:
Aluminio / Aluminium.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.98.
∧ 120°.
⊙ 50.000H.
⊙ 25.000.



LYNN


LYN **LED** 40W 2800 lm



99-109-40-600



99-109-40-681




LED 40W 2800 lm



99-109-40-500



99-109-40-581




LED 30W 2300 lm



99-109-40-400



99-109-40-481



2800-4000-5500K

Material:
Metal y PC.

IP20.
220-240V.
50Hz.
CRI ≥ 80.
P.F.: 0.9.
∧ 120°.
⊙ 20.000H.
⊖ 25.000.



MIRTA




MIRTA  60W 2500 lm



99-511-30-100



99-511-30-180



Material:
Aluminio / *Aluminium*.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.98.
∧ 120°.
⊙ 50.000H.
⊖ 25.000.



76






ORSO




99-511-16-100



LINO




99-511-25-100



SITO




99-511-35-100



YON



99-511-26-100



Material:
Aluminio / Aluminium.

IP20.
220-240V.
50/60Hz.
Max.
1xE27.




ELEGANCE  36W 2800 lm 



99-073-36-300



99-073-36-380



2000 mm

Ø600 mm

Material:
Aluminio / Aluminium.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 120°.
⊙ 30.000H.
⊙ 20.000.



DUNIA

DUNIA  53W 4600 lm



99-903-53-008



99-903-53-000



335 -
1500 mm

740x295 mm



2800-4000-5500K

Material:
Metal + PC.

IP20.
220-240V.
50Hz.
CRI ≥ 80.
P.F.: 0.9.
∧ 120°.
⊙ 25.000H.
⊖ 20.000.



NEW OR




NEW OR LED 60W 3600 lm 3000K



99-884-60-100



99-884-60-180



966x120 mm

max. 1000 mm



Material:
Aluminio / Aluminium.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.9.
∧ 120°.
⊙ 30.000H.
⊙ 15.000.




NEW OR  60W 3600 lm 



26-884-60-100



26-884-60-180



Material:
Aluminio / Aluminium.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.9.
∧ 120°.
⊙ 30.000H.
⊙ 15.000.




NEW OR  30W 1800 lm 



43-881-30-100



43-881-30-180



Material:
Aluminio / *Aluminium*.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.9.
∧ 120°.
⊙ 30.000H.
⊙ 15.000.



ANNA


ANNA



93-001-10-053




93-001-10-100



No incluida
Not included

Material:
Aluminio / Aluminium.

IP20.
220-240V.
50Hz.
Max. 35W.
1x GU10.




ORA



93-002-10-053



93-002-10-100



No incluida
Not included

Material:
Aluminio / Aluminium.

IP20.
220-240V.
50Hz.
Max. 35W.
1x GU10.



SAND



SAND LED 48W 3480 lm 3000K LED 36W 2880 lm 3000K



99-072-48-300



99-072-36-300



99-072-48-306





99-072-48-380



99-072-36-306



99-072-36-380



Material:
Metal + PC.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 120°.
© 30.000H.
⊙ 15.000.



SAND 22W 1760 lm




99-072-22-300



99-072-22-306



99-072-22-380



Material:
Metal + PC.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.9.
∧ 120°.
⊙ 30.000H.
⊙ 15.000.





GALA



GALA **LED** 24W 1920 lm **3000K**




06-072-24-300



06-072-24-380



06-072-24-306



Material:
Metal + PC.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧120°.
⊙ 30.000H.
⊖ 15.000.



THEO



TEO  18,5W+4,5W 2200Lm + 480 lm 




06-773-18-302



06-773-18-306



06-773-18-380



Material:
Metal + PC.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 30°.
© 20.000H.
⊙ 10.000.



ATEN




ATEN  20W 1800 lm

ATEN II  30W 2600 lm



06-325-20-008



Ø260 mm



06-325-30-002




Material:
Aluminio + acrílico /
Aluminium + acrylic.

IP20.
220V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.9.
∧ 120°.
© 20.000H.
⊖ 15.000.



SIRO




SIRO  18W+4W 1900Lm + 400 lm 



06-410-18-302



06-410-18-306



Material:
Metal.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.8.
∧ 30°.
⊙ 20.000H.
⊙ 10.000.



VARIA




VARIA



06-400-27-002



06-400-27-006





Material:
Aluminio / Aluminium.

IP20.
230V.
50Hz.
2x E27 + 1x E14.



GARONA




GARONA  20W+5W 2000Lm+440 lm 



06-405-20-002



06-405-20-006



Material:
Aluminio / Aluminium..

IP20.
230V.
50-60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 100°.
⊙ 20.000H.
⊙ 15.000.



NOOVA



NOOVA



06-175-27-001



No incluida
Not included



06-175-27-002



06-175-27-006




06-175-27-007



No incluida
Not included



06-175-27-008



Packaging
COMPACTO

Material:
Metal.

IP20.
220-240V.
50Hz.
1xE27.






LISA



LISA



Material:
ABS + Metal.

IP20.
220-240V.
50Hz.
1xE27 + 1xE14.



LUXO



LUXO



06-601-27-100




06-601-27-180



04-601-27-100.




04-601-27-180.






Material:
Metal.

IP20.
85-240V
50/60Hz.
1x E27.




ROB

ROB  5W+3W 532 lm 




43-109-08-300

 5W+3W 530 lm 



43-209-08-300

 5W+3W 526 lm 



43-309-08-300



107




Material:
Aluminio / Aluminium.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 30°.
⊙ 30.000H.
⊙ 15.000.




ROB II

ROB II **LED** 5W+3W 532 lm **3000K**




43-119-08-380

LED 5W+3W 530 lm **3000K**



43-229-08-380

LED 5W+3W 526 lm **3000K**



43-339-08-380



109



Material:
Aluminio / Aluminium..

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 30°.
© 30.000H.
⊙ 15.000.




RENOIR

RENOIR  5W+3W 525 lm 



43-162-08-116




Material:
Metal + maderá / Metal + wood.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 30°.
© 30.000H.
⊙ 15.000.



RAVEL

RAVEL  5W+3W 523 lm 





Material:
Metal + maderá / Metal + wood.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 30°.
⊙ 30.000H.
⊙ 15.000.




BACH



BACH  5W+3W 528 lm 



43-164-08-116



Material:
Metal + madera / Metal + wood.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 30°.
© 30.000H.
© 15.000.



GERIA




GERIA  11W+3W 921 lm 



43-139-14-100



43-139-14-180



Material:
Aluminio / Aluminium.


IP20.
100-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 120°.
⊙ 50.000H.
⊖ 10.000.



POLARE  12W 400 lm 



43-630-12-100



Material:
Hierro + acrílico / Iron + acrylic.

IP20.
100-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 90°.
⊙ 50.000H.
⊙ 10.000.



MEL


MEL  6W 360 lm 4000K



43-593-06-281



43-593-06-181



Material:
Metal + PC.

IP20.
100-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 120°.
⊙ 20.000H.
⊘ 20.000.



DERA



E14

 No incluida
 Not included

DERA



43-301-14-000
 1x E14




208x60 mm

136 mm



43-302-14-000
 2x E14



250x60 mm

208 mm



43-303-14-000
 3x E14




470x60 mm

208 mm



25-303-14-000



Ø200 mm

208 mm



Material:
 Madera + Metal / Wood + Metal.

DATOS TÉCNICOS:
 IP20.
 230V.
 50/60Hz.





LAN




E14
No incluida
Not included

LAN




43-101-14-000
1x E14



125x60 mm




43-102-14-000
2x E14



250x60 mm




43-103-14-000
3x E14



470x60 mm



25-103-14-000
3x E14




Ø200 mm



Material:
Madera + Metal / Wood + Metal.

DATOS TÉCNICOS:
IP20.
230V.
50/60Hz.





ICE


ICE  15W 1020 lm 4000K



25-613-01-000



25-613-01-002



Material:
Aluminio / Aluminium.

IP20.
170-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 45°.
⊙ 30.000H.
⊙ 15.000.


ICE  15W 1020 lm 



43-613-01-000



43-613-01-002



410x75 mm


 10W 680 lm 



43-612-01-000



43-612-01-002



260x75 mm


 5W 340 lm 



43-611-01-000



43-611-01-002



70x90 mm

Material:
Aluminio / Aluminium.

IP20.
170-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 45°.
© 30.000H.
⊙ 15.000.

HELI




No incluida
Not included



25-720-03-000



25-720-03-006



Material:
Aluminio / Aluminium.


IP20.
220-240V.
50/60Hz.
Max. 50W
3xGU10.



43-720-01-000



43-720-01-006



Material:
Aluminio / Aluminium.


IP20.
220-240V.
50/60Hz.
Max. 50W.
1xGU10.



43-720-02-000



43-720-02-006



Material:
Aluminio / Aluminium.


IP20.
220-240V.
50Hz/60Hz.
Max. 50W.
2xGU10.



43-720-03-000



43-720-03-006



Material:
Aluminio / Aluminium.

IP20.
220-240V.
50Hz/60Hz.
Max. 50W.
3xGU10.

IRIS




No incluida
Not included



25-135-03-000



25-135-03-002



Material:
Aluminio / Aluminium.

IP20.
220-240V.
50Hz/60Hz.
Max. 35W.
3xGU10.



43-135-01-000



43-135-01-002



Material:
Aluminio / Aluminium.


IP20.
220-240V.
50Hz/60Hz.
Max. 35W.
1xGU10.



43-135-02-000



43-135-02-002



Material:
Aluminio / Aluminium.


IP20.
220-240V.
50Hz/60Hz.
Max. 35W.
2xGU10.



43-135-03-000



43-135-03-002




Material:
Aluminio / Aluminium.

IP20.
220-240V.
50Hz/60Hz.
Max. 35W.
3xGU10.



NABILA



NABILA



01-180-01-110



01-180-01-018



01-180-01-281



01-180-01-006



Ø65 mm



Ø90 mm

25 mm



Ø88 mm

48 mm



No incluida
Not included

Material:
Aluminio / Aluminium.


IP20.
220-240V.
50Hz.
Max. 50W.
1xGU10.



LABER  3W 300 lm 4000K



00-301-01-381




128

GLESS  3W 300 lm 4000K



01-733-01-381



ILUX  3W 300 lm 4000K




01-633-01-381



GEMO  3W 300 lm 4000K




00-871-01-381



GEMO  3W 300 lm 4000K



01-871-01-381



No included
Not included


Material:
Metal + cristal / Metal + glass.


IP20.
220-240V.
50Hz/60Hz.
Max. 35W.
1xGU10.

LED
IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
© 20.000H.
© 20.000.



KONY  3W 300 lm 4000K


 3W 300 lm 3000K




01-930-01-001

01-930-01-301

KONY  3W 300 lm 4000K

 3W 300 lm 3000K



00-930-01-001

00-930-01-301



Material:
Metal + cristal / Metal + glass.

IP20.
220-240V.
50Hz/60Hz.
Max. 35W.
3xGU10.

LED
IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
© 20.000H.
⊕ 20.000.



OREON




OREON  10W 850 lm



04-450-10-281



04-450-10-100



319x174 mm

- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 

3000-5000-6500K

Material:
Metal + ABS.

IP20.
220-240 V.
50/60Hz.
CRI ≥ 80
^ 120°
⊙ 30.000H
⊖ 20.000



TINVI  5W 200 lm 



04-874-05-100



Material:
PVC + ABS.

IP20.
100-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 100°.
⊙ 30.000H.
⊘ 12 .000.



PALA


PALA  4W 350 lm 



04-711-05-142



04-711-05-130



Material:
Aluminio + PC / Aluminium + PC.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 30°.
⊙ 20.000H.
⊙ 25.000.



RAI  10W 550 lm

MIRI  10W 550 lm



04-552-10-100



04-532-10-140



3000-4900-6500K




Material:
Metal + ABS.

IP20.
100-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 120°.
© 20.000H.
© 10.000.



BIL  10W 550 lm



04-995-10-181




3000-4300-6500K

Material:
Metal + ABS.

IP20.
100-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 120°.
⊙ 20.000H.
⊖ 10.000.




UI



LUL  10W 550 lm



04-880-10-100



3000-4000-6500K



Material:
Metal + ABS.

IP20.
220-240 V.
50/60Hz.
CRI ≥ 80
^ 120°
⊙ 25.000H
⊖ 10.000



DUCK




DUCK  5W 200 lm 



04-707-05-115



04-707-05-180



Material:
ABS + cuero / ABS + Leather.

IP20.
100-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 120°.
© 35.000H.
∅ 15 .000.



STAR



STAR



10W 600 lm

3000K



2800-4000-5500K



04-666-08-100



04-666-08-180



90x362 mm


Material:
PMMA / PMMA.

IP20.
12 V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 120°.
⊙ 40.000H.
⊙ 20.000.

DISCOVERY 10W 500 lm



04-019-10-100



3000-4000-6000K

Material:
Metal + PC.


IP20.
100-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.6.
∧ 30°.
⊙ 30.000H.
⊖ 20.000.

142

GALAXY 8W 530 lm



04+530-14-180



2500-4500-7000K

Material:
Metal + PC.

IP20.
220-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.6.
∧ 30°.
⊙ 30.000H.
⊖ 15.000.

SEDAN 10W 550 lm



04-602-10-100

04-602-10-281



3000-4000-6000K

Material:
ABS.

IP20.
100-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.6.
∧ 30°.
⊙ 30.000H.
⊖ 20.000.



ELNA  6W 360 lm 



05-300-06-100



05-300-06-180



Material:
Aluminio + PMMA/ Aluminium + PMMA.

IP20.
100-240V.
50/60Hz.
CRI ≥ 80.
P.F.: 0.5.
∧ 120°.
⊙ 20.000H.
⊙ 15.000.



Decorativo

Decorative / Décoratif

2022



CristalRecord
Iluminación - Lighting